


SSCSD WASTE SITE NOTES



- ① Enter waste site here. (Gate will open automatically).
- ② West Side Exit for waste site here. (Gate will open automatically).
- ③ East Side Exit for waste site here. (Gate will open automatically. *Low vehicles not recommended at East Side Exit.*)
- ④ Household waste bins. (Bin #1). (See attached list of prohibited items for these bins).
- ⑤ Household waste bins. (Bin #2). (See attached list of prohibited items for these bins).

- ⑥ Green waste drop off. (For mulchable plant & tree vegetation only. Shrubbery & brush trimmings with branches not over one and one-half inches (1-1/2") in diameter, not exceeding four feet (4') in length). **No Stumps, large logs, hay, manure, rocks, earth, Concrete, Asphalt, or finished Lumber.* **All green waste must be loose and unbagged.*
- ⑦ Ash bin. (Ashes must be cold before discarding).

KEY ITEMS TO BE AWARE OF WHEN USING THE WASTE SITE

- Access to the facility is for authorized Stallion Springs residents with an RFID tagged vehicle only. All users of the facility must enter the site with the authorized RFID tagged vehicle. Walking in trash from outside the facility is strictly prohibited.
- **Slow Down:** Be aware of cross traffic on Stallion Springs Drive, as well as the trash site.
- The entry/exit gate is automatic, please be patient, it will open and close for one vehicle at a time.
- Review the diagram before coming to the site to know where you need to go.
- Please refer to the information on this sheet, and signage on site, for rules & guidance on proper use of the facility.
- Prohibited items can not be disposed of at the SSCSD Waste Site. The waste site is monitored 24/7 by closed circuit video surveillance.
- Disposal of prohibited items at the SSCSD Waste Site will result in administrative citation(s) issued by the SSCSD.
- Hazardous materials cannot be accepted at the SSCSD Waste Site. Please visit <https://kernpublicworks.com/hazardous-waste/> for information regarding those types of items.



SSCSD SOLID WASTE SITE

NO SCALE